

Benadryl Dosages

Product	Children's Benadryl Allergy Liquid	Children's Benadryl Allergy Liquid Dye-Free	Children's Benadryl-D Allergy & Sinus	Children's Benadryl Allergy Chewable	Children's Benadryl Allergy Fastmelt	Children's Benadryl Allergy & Cold Fastmelt
Symptoms	itchy, watery eyes, runny nose, itchy throat, sneezing	itchy, watery eyes, runny nose, itchy throat, sneezing	itchy, watery eyes, runny nose, itchy throat, sneezing, sinus pressure	itchy, watery eyes, runny nose, itchy throat, sneezing	itchy, watery eyes, runny nose, itchy throat, sneezing	itchy, watery eyes, runny nose, itchy throat, sneezing, sinus pressure
Children 6 to under 12 yrs. (> 50 lbs)	1-2 tsp every 4-6 hrs	1-2 tsp every 4-6 hrs	1-2 tsp every 4-6 hrs	1-2 tablets every 4-6 hrs	1-2 tablets every 4-6 hrs	1-2 tablets every 4-6 hrs
Children 2 to under 5 yrs. (35-50 lbs)	3/4 tsp every 6 hrs	3/4 tsp every 6 hrs	3/4 tsp every 6 hrs	1 tablet every 6 hrs	1 tablet every 6 hrs	1 tablet every 6 hrs
Children 6 mos. to 2 yrs (20-35 lbs)	1/2 tsp every 6 hrs	1/2 tsp every 6 hrs	1/2 tsp every 6 hrs	not recommended	not recommended	not recommended
Children 3 to 6 months (10-20 lbs)	1/4 tsp every 6 hrs	1/4 tsp every 6 hrs	1/4 tsp every 6 hrs	not recommended	not recommended	not recommended

1 dropperful = 0.8 ml
1 teaspoonful = 5 ml